



# Index

---

Boxes, figures, notes, and tables are indicated by *b*, *f*, *n*, and *t*, respectively.

## A

aging, 62  
antibiotics, 85–86, 85*n*, 88  
ascariasis, 68*t*

## B

barefoot doctor system, 5, 6*f*  
birth rates, 61  
birth weight, low, 178–80, 178*t*, 180*t*  
births and age composition, 111

## C

child mortality, 27. *See also* infant mortality  
China, 6*f*, 10, 10*f*  
cognitive ability, 17–19, 19*f*, 57–59  
cognitive development, 53  
Commission on Macroeconomics and Health, 1–2  
    and health status, 42, 45, 47  
Copenhagen Consensus, 176, 181, 181*n*, 181*t*  
hunger and malnutrition, 176–77, 180*t*, 181

country program and institutional analysis (CPIA) index, 27, 27*n*  
Cuba, 18

## D

DDT, 86*n*, 88, 88*n*  
death classification, for data purposes, 119–20  
demographic transition, 81  
demography, 60–62  
deworming, 134. *See also* hookworm  
diabetes, 48*f*, 49*t*  
disease, 6, 67–69, 79–80, 85*n*, 131.  
    *See also* hookworm disease  
    and individual productivity, 42–43, 43*f*  
    controlling environment benefits, 22  
    deaths due to, 99*n*  
    determining decline of, 5*n*  
    eradication, 21, 57, 135  
    prevalence by region, 68*t*  
    transmission, 5  
    tropical, 67–68  
    worms, 68  
doctors' absenteeism, 29, 29*f*  
drug innovations, 85–86  
Duncan socioeconomic index, 151, 152*f*, 154*t*, 158

## E

early child development, 17–20, 167–68, 168*n*, 170–76. *See also* nutrition interventions  
disease and undernutrition effects on adulthood, 170  
education returns from family background, 20*f*  
interventions, 17–20  
hunger and malnutrition, 180*t*  
investments, 17–19, 20  
nutrition supplementation trial in Guatemala, 170–75  
orphanhood, 23  
parental involvement, 174  
economic growth, 53. *See also* health and economic growth  
and population growth, 61  
assessing health impact, 15–16, 56–57, 63  
causal effect of health and disease on, 78  
health as indicator and interpretation of, 65  
health input channels, 45  
measuring contribution of disease-free environment, 132  
education, 4, 58. *See also* cognitive deficits  
decline in due to stunting and poverty, 18, 19*f*  
disease impacts on school participation, 146*n*  
gender and biological and cultural obstacles, 59  
health effects through attendance and cognition, 23, 57–58  
hookworm eradication, 132–33, 135, 155  
school attendance, 141–43, 142*t*, 143*f*  
ill health effects, 53  
increases wages, 59  
lack of readiness and failure to learn, 58  
malaria impacts on, 67  
nutrition and levels of, 169*t*  
nutritional supplements improve outcomes, 175, 175*t*  
returns from family background, 20*f*  
epidemiological transition, 78, 78*n*, 79, 116

## F

fertility, 161  
foreign direct investment (FDI), encouraging and discouraging, 60

## G

girls, issues affecting health and education, 59  
government, health care spending, 2, 25, 50, 161  
gross domestic product (GDP), 112, 112*f*  
and GDP per capita for working-age population, 93*t*  
and life expectancy, 94, 112, 112*n*, 117*t*  
per capita, 114*n*, 117*t*  
by country wealth, 80*f*  
growth. *See* economic growth; health and economic growth

## H

health, 7, 66  
evidence-based policy making, 47–49  
investments in early childhood, 19–20  
monetary value of, 56  
technology and disease prevention, 55  
trends and income, 8–10  
health and economic growth, 13*n*, 31  
arguments against link, 66  
disease eradication, 77–78  
econometric approach, 11–12  
estimation issues, 10–12, 118  
four phases of perceptions of, 42  
growth accounting assessment, 15–16  
health and human capital, 7, 44–45, 56–58  
health and income, 9, 9*f*, 21  
causality, 12, 13, 13*n*, 53, 64–65, 78  
data issues, 10–12  
interpreting correlations between, 10–12  
microeconomic approach, 16–17  
Preston curve, 55  
richer countries are healthier, 12  
health and productivity link, 16–17  
health and savings, 53, 59–60  
health care financing, 25, 59  
health care services, poor public quality, 28–29

- health care spending, 2, 31–32  
country-level evidence and institutions, 28–30  
might not improve health, 25–28  
tools for justifying, 49–50
- health insurance, 25–26, 30
- health status, 3, 56, 63  
and Commission on Macroeconomics and Health, 42, 45, 47  
and savings, 53, 59–60  
assessing impact on economy, 15–16  
better for the richer, 44, 44*t*  
converging while income diverges, 9–10  
determinants, 3–7, 54–56  
estimating magnitude of impact and measurement issues, 53  
food production, 4  
improvements over last century, 1, 3–4  
improving through health care spending, 25–28  
lack of metric for measurement, 11, 47  
national income, 31
- health transition, 78, 78*n*
- health workers' absentee rates, 29, 29*f*
- height. *See* stature
- HIV/AIDS, 24, 69, 81  
estimating impact in South Africa, 14–15  
impacts on children 23, 23*n*  
school attendance and completion, 23, 23*n*  
treatment effects on labor supply, 22
- hookworm disease, 132, 141*n*  
effects on children, 141–47  
infection as a child decreases adult wages, 154  
infection rate, 138*f*, 139*n*, 160  
North–South income gap, 155, 156  
prevalence by region, 68*t*  
productivity due to disease, 42–43, 43*f*, 139  
relationship with human capital, 144–45, 145*t*  
schooling, related studies on, 138–39
- hookworm eradication, 57, 134  
adult outcomes, 147*t*  
cohorts, 159  
relationship with income, 151–53, 153*n*  
contribution to economic outcomes, 132, 137, 137*n*  
earnings, schooling, and literacy results, 148–51, 149*t*  
future earnings' increased, 133  
human capital improvements and education, 135  
increasing returns to schooling, 150, 151  
long-term follow up of exposed children, 147–55  
race and gender outcomes, 147*t*  
racial response, 145–46  
school attendance, 141–44, 142*t*, 143*f*
- hospital autonomy and performance, 30
- Human Capital Study, 173, 174*n*
- hygiene, 4
- I**
- illness and ability to learn, 58–59
- income. *See also* health and income  
and infant mortality, 10*f*, 46, 46*f*, 65*t*  
and life expectancy, 55*f*, 84–86, 94  
and population, 118  
and nutritional outcomes, 169*t*  
differences due to health, 78, 116  
disease-free environment effects, 21, 133, 155  
diverging while health status converges, 9–10  
early childhood nutrition, impact on, 47*t*, 174–75  
health improvements increase rate of growth, 7, 12–13  
health science advances, 14  
HIV/AIDS mortality effects on, 69  
hookworm eradication campaign, 148–51, 149*t*  
illness effects on, 21–24  
national, health impacts on, 31  
nutritional supplements, 175, 175*t*  
population relationship, 83*f*  
trends and health, 8–10  
welfare measurement, 69
- India, 10, 10*f*

infant mortality, 4, 58. *See also* child mortality  
 and income growth per capita, 46, 46*f*, 65*t*  
 in health and income analysis, 9*f*  
 relationship with predicted mortality, 100*n*  
 time trends, 64, 64*t*

Institute of Nutrition for Central America and Panama (INCAP), 170–71, 173–75

institutions, 2, 156  
 role in effective health care spending, 27–30

insurance. *See* health insurance

Intergenerational Transfers Study, 173, 174*n*

international epidemiological transition, 78, 79, 116

interventions, 11, 24, 156  
 disease eradication should be priority, 68

IPUMS, 140–41

## L

labor force, 157  
 days lost due to disease, 67–68  
 decreased due to disease, 42–43, 43*f*  
 health workers' absenteeism, 29, 29*f*

League of Nations, 120–21

life expectancy, 5, 78, 78*n*, 79*n*  
 and income per capita, 55, 86  
 and predicted mortality, 100*f*, 100*n*, 101*t*  
 births' effect on, 111  
 by country wealth, 79*f*  
 causal effects on income, 84–85  
 for working-age population, 93*t*  
 GDP, 112, 112*n*  
 in health and income analysis, 9*f*  
 increase in  
 and GDP per capita, 114*n*  
 associated with population under age 20 and relationship with GDP, 94  
 association with savings, 59–60  
 due to global interventions, 105  
 due to new drugs, 85–86  
 results in population growth, 80–81, 91, 109, 118  
 population, births, GDP, and GDP per capita, 117*t*  
 predicted at age 20, 116, 118*f*  
 Preston curve, 8*f*

life, monetary value of, 56

limphatic filariasis, 68

literacy, 18, 22  
 hookworm eradication campaign, 141–42, 142*t*, 148–51, 149*t*

## M

macroeconomics and health, 12–15, 45–47

Macroeconomics and Health Commission, 42, 45, 47

malaria, 11, 67, 141*n*  
 DDT, 86, 86*n*, 88, 88*n*  
 eradication, 57  
 economic growth, 77–78  
 human capital and incomes, 21, 22  
 income gap between United States and Latin America, 22

malaria ecology, 14

malnutrition, 176–77, 180*t*, 181

medical care markets, 25–26

mineral deficiencies, 180*t*

morbidity, 22, 67, 68

mortality, 11, 105. *See also* child mortality; infant mortality; predicted mortality  
 by disease, 79–80  
 disease interventions, 85*n*, 97, 98*t*  
 HIV/AIDS and income per capita, 69  
 measuring welfare costs of changing, 49–50  
 monetary value of averting death, 178*n*  
 reduction, 4, 60–61

## N

nutrition, 174–75. *See also* malnutrition; undernutrition  
 benefit-cost of improving early, 176–81  
 lack of in early childhood significantly impacts adult outcomes, 17, 45–47, 47*t*, 170  
 in utero long-term effects, 58

nutrition interventions, 19, 170–75

nutritional supplements, 171–72, 175*t*  
*Atole*, 171–72, 175, 175*t*, 176  
*Fresco*, 172, 175, 175*t*

## O

Onchocerciasis Control Program, 6

oral rehydration therapy (ORT), 25*n*

orphanhood, 23

out-of-pocket spending, 59

## P

Pan American Sanitary Code, 6

penicillin, 85, 85*n*, 86*n*

policy making, 14, 24, 25*n*

encouraging action, 41

evolution of, 42

using evidence for, 47–49

population, 20, 92*t*, 112

aging of, 62

and predicted mortality changes, 108–9,  
109*f*

growth, 109

due to increase in life expectancy, 80, 110*t*

due to mortality reduction, 60–61

relationship with income, 83*f*

trends in Sub-Saharan Africa and East  
Asia, 62*f*

poverty, 18, 20

predicted mortality, 99*f*, 116*f*

and change in GDP, 112*f*

and life expectancy, 118*f*

changes in, 100*f*, 100*n*

and population changes, 108–9, 109*f*

and working-age population, 111–12,  
113*t*

life expectancy changes in, 106,  
106*f*, 108

preexisting trends, 108

pregnancy interventions, 179–80, 180*t*

Preston curve, 8*f*, 9, 55

primary health services/care, 5

productivity, 16, 21, 53, 63

and disease, 42–43, 43*f*, 68

birth weight increase impacts, 178–79

early childhood nutrition effects on,  
46–47

malaria impacts on, 67

measuring the effect of health on, 56–57

nutrition and stature, 45, 46*f*

nutritional supplements, 175, 175*t*

*Atole*, 171–72, 175, 175*t*, 176

*Fresco*, 172, 175, 175*t*

work days lost due to disease, 67–68

protein deficiency, 170, 171

## R

Rockefeller Sanitary Commission (RSC),  
21, 132, 135, 154*t*

hookworm eradication, 134, 136–37

hookworm infection rates, 139

## S

schistosomiasis, 43, 68*t*

school enrollment and attendance, 157.

*See also* education

stature, 45, 46*f*, 169*t*

lack of due to undernutrition, 168

stunting, 17, 18

Summit on Chronic Noncommunicable  
Diseases, 49

## T

tuberculosis, 87–88, 88*n*, 89*n*, 99*n*

## U

undernutrition, child and maternal, 17,  
168–69

United Nations Children's Fund (UNICEF),  
86*n*

## V

vaccines, 86, 86*n*

vitamin deficiencies, 58, 180*t*

## W

wages, increased by education level, 59

wealth accumulation through investment, 60

wealth, link to health, 44, 44*t*

Weekly Epidemiological Record  
(WER), 121

World Health Organization (WHO), 1–2, 4  
formation of, 86, 86*n*

worm diseases, 68, 155. *See also*  
hookworm disease

## Y

yellow fever vaccine, 86, 86*n*